

Additive 321

DESCRIPTION:

Additive 321 is a special lubricity additive specifically designed for use in the automotive and appliance segments as a mandrel release agent of elastomers.

TYPICAL PROPERTIES (NOT SPECIFICATIONS):

Appearance	Clear Liquid
Flash Point	227C
pH	5.5 - 7.5
Viscosity	1,100 mPa.s (37.8°C)
Density	1.063 @20°C
Solubility	Soluble in Water

FEATURES / BENEFITS:

- Excellent thermal stability
- Little to no residue, easily cleaned with room temperature water

MIX / APPLICATION & USE:

See your Fortech Sales Representative for Mix and Application requirements.

Additive 321

HEALTH & SAFETY:

Additive 321 is available at our Brighton, Michigan facility in 55-gallon drums, and pails.

Storage And Handling: See Safety Data Sheet Before Use. Product be stored at temperatures between 45°F– 90°F. Do not expose to extreme high temperature due to container rupture. Do not pressurize drum or reuse empty container. Follow all safety regulations on label.

Non-Warranty: While the information and recommendations sent forth herein are believed to be accurate as of the date thereof, Fortech Products, Inc. makes no warranty with respect thereto and disclaims all liability for reliance therein.

Last Updated: 12/9/2024