

TechDraw FT 907 RP Heavy Duty Emulsifiable Drawing Compound

Heavy Duty

DESCRIPTION:

TechDraw FT 907 RP is a heavy-duty chlorinated emulsifiable drawing and stamping compound formulated to perform a wide range of operations. **TechDraw FT 907 RP's** synergistic approach to extreme pressure additives allow forming of the most sever operations. **TechDraw FT 907 RP** reduces part galling and cracking while increasing die tooling and coating life. Depending on the substrate and severity of the application, **TechDraw FT 907 RP** can be used at a range of various dilutions.

TYPICAL PROPERTIES (NOT SPECIFICATIONS):

| | |
|------------------|------------------|
| Appearance | Amber Oil |
| Density | 1.10 - 1.15@60°F |
| Viscosity at 40C | 234 - 262 cSt |
| pH @ 10% | 8.0 - 8.5 |

FEATURES / BENEFITS:

- Extreme pressure additives helps eliminate part gulling and cracking
- Provides excellent lubricating properties that increases life of die tooling and coatings
- Imparts in-process corrosion protection
- Pigment & phosphorous free

MIX / APPLICATION & USE:

Always add TechDraw FT 907 RP to water with agitation. Typical dilution range is from 10-20 parts water to 1 part TechDraw FT 907 RP. TechDraw FT 907 RP can be applied using spray, roll coater, drip or brush applications. Your Fortech Sales Representative will work with you on the proper dilution and mixing approach.

TechDraw FT 907 RP Heavy Duty Emulsifiable Drawing Compound

Heavy Duty

HEALTH & SAFETY:

TechDraw FT 907 RP is available at our Brighton, Michigan facility in 55-gallon drums, 330 gallon totes and 5 gallon pails.

Storage And Handling: See Safety Data Sheet Before Use. Use at room temperature. If frozen, allow to thaw completely prior to use. Do not expose to extreme high temperature due to container rupture. Do not pressurize drum or reuse empty container. Follow all safety regulations on label.

Non-Warranty: While the information and recommendations sent forth herein are believed to be accurate as of the date thereof, Fortech Products, Inc. makes no warranty with respect thereto and disclaims all liability for reliance therein.

Last Updated: 7/12/2024